

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/808,000	03/24/2004	Scan T. Baartmans	42P16957	4660
8791 BLAKELY SO	7590 03/08/200 OKOLOFF TAYLOR &	EXAMINER		
	IRE BOULEVARD	BONURA, TIMOTHY M		
SEVENTH FLOOR LOS ANGELES, CA 90025-1030			ART UNIT .	PAPER NUMBER
		2114		
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MONTHS		03/08/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		Application No.	Applicant(s)	
Office Action Summary		10/808,000	BAARTMANS ET AL.	
		Examiner	Art Unit	
		Tim Bonura	2114	
Period fo	The MAILING DATE of this communication app or Reply	pears on the cover sheet with the c	orrespondence address	
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPL' CHEVER IS LONGER, FROM THE MAILING Donsions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. To period for reply is specified above, the maximum statutory period or to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be time will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE!	l. ely filed the mailing date of this communication. O (35 U.S.C. § 133).	
Status				
2a)⊠	Responsive to communication(s) filed on <u>20 D</u> This action is FINAL . 2b) This Since this application is in condition for allowar closed in accordance with the practice under E	s action is non-final. nce except for formal matters, pro		
Dispositi	ion of Claims	ex parte Quayre, 1999 O.D. 11, 40	0.0.213.	
4)⊠ 5)□ 6)⊠ 7)⊠	Claim(s) <u>1-32</u> is/are pending in the application 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) <u>1-5,7-10 and 15-32</u> is/are rejected. Claim(s) <u>6 and 11-14</u> is/are objected to. Claim(s) are subject to restriction and/o	wn from consideration.		
Applicati	ion Papers			
10)⊠	The specification is objected to by the Examine The drawing(s) filed on 24 March 2004 is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex	a) \square accepted or b) \square objected to drawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).	
Priority ι	under 35 U.S.C. § 119			
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
2) Notice 3) Information	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa	te	

Art Unit: 2114

Page 2

DETAILED ACTION

- Claim 11, 12 and 14 are objected under 37 CFR 1.75
- Claims 1-5, 7-10, and 15-32 are rejected under 35 U.S.C. 102(e) as being anticipated by Shinmori, et al, U.S. Patent Number 7,058,856

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

- 2. Claims 1-5, 7-10, and 15-32 are rejected under 35 U.S.C. 102(e) as being anticipated by Shinmori, et al, U.S. Patent Number 7,058,856.
- 3. Regarding claim 1:
 - a. Regarding the limitation of "a logic structure integrated in an integrated circuit (IC), the logic structure having a set of bus inputs to generate events, a mask register to select inputs from among the set of bus inputs, a logic register to select logic to apply to the selected inputs and an event output to supply the result of the applied logic," Shinmori discloses a system with a semiconductor circuit with a memory device storing a program and data, a CPU to execute the process of the program and to store the data on the Flash ROM (Lines 10-15 of Column 2 also see Figure 5).
 - b. Regarding the limitation of "a bus interface integrated in the IC and coupled to the logic structure to transmit settable parameters to the mask register and the logic

Art Unit: 2114

register of the logic structure from an external agent," Shinmori discloses a system with control signals select the first input to the JTAG. (Lines 55-60 of Column 5).

Page 3

- 4. Regarding claim 2, Shinmori discloses a system with a security bit that can be used to manage the data in the flash ROM for what data is received and selected for comparing. (Lines 65-67 of Column 5 and Lines 1-12 of Column 6).
- 5. Regarding claim 3, Shinmori discloses a system with a cmp register for comparing (Figure 5, item 27 and 24, Lines 38-46 of Column 5).
- 6. Regarding claim 4, Shinmori discloses a system with a TAP (test access port) coupled to a bus, the TAP used for testing and debugging of data through the CPU. (See Figure 5, item 14 with input bus from the left of the box, also Lines 60-65 of Column 5).
- 7. Regarding claim 5, Shinmori discloses a system with a sel logic to select data from the TAP or the CPU. (Figure 5, item 22, Lines 17-23 of Column 6).
- 8. Regarding claim 7, Shinmori discloses a system with a JTAG port for receive test data and a control circuit for controlling the received data. (Lines 50-65 of Column 5, see Figure 5, items 23, 12, and 11).
- 9. Regarding claim 8, Shinmori discloses a system with a JTAG port for communicating a TDO (test output data) to the external device for testing. (Lines 65-67 of Column 4 and Lines 1-2 of Column 5).
- 10. Regarding claim 9, Shinmori discloses a system with a security bit that can be used to manage the data in the flash ROM. (Lines 65-67 of Column 5 and Lines 1-12 of Column 6).
- 11. Regarding claim 10:
 - c. Regarding the limitation of "a counter register integrated in an integrated circuit and couple with an external unit integrated in the IC to receive results of operation from the external unit," Shinmori discloses a system with a security bit that can be used to

Art Unit: 2114

manage the data in the flash ROM. (Lines 65-67 of Column 5 and Lines 1-12 of Column 6).

- d. Regarding the limitation of "a logic structure integrated in the IC to receive signals from the external unit, to send operation to the external unit, to generate events based on the received external signals and received settable parameters, and to send the events to the counter register to after the operation of the counter register," Shinmori discloses a system with a semiconductor circuit with a memory device storing a program and data, a CPU to execute the process of the program and to store the data on the Flash ROM (Lines 10-15 of Column 2 also see Figure 5). Shinmori discloses a system with a TAP (test access port) coupled to a bus, the TAP used for testing and debugging of data through the CPU. (See Figure 5, item 14 with input bus from the left of the box, also Lines 60-65 of Column 5). External signals are received at eh JTAG port from a debugging device. (Lines 64-67 of Column 4).
- e. Regarding the limitation of "a bus interface integrated in the IC and coupled to the logic structure to transmit settable parameters to the mask register and the logic register of the logic structure from an external agent," Shinmori discloses a system with control signals select the first input to the JTAG. (Lines 55-60 of Column 5).
- 12. Regarding claim 15, Shinmori discloses a system with a clock signal that is inputting through the JTAG port. (Figure 5, item 11, the TCK signal).
- 13. Regarding claim 16, Shinmori discloses a system with a security bit that can be used to manage the data in the flash ROM. (Lines 65-67 of Column 5 and Lines 1-12 of Column 6).
- 14. Regarding claim 17, Shinmori discloses a system with a security bit that can be used to manage the data in the flash ROM. (Lines 65-67 of Column 5 and Lines 1-12 of Column 6).
- 15. Regarding claim 18:

Art Unit: 2114

f. Regarding the limitation of "receiving settable of parameters in a logic structure of an integrated circuit (IC)," Shinmori discloses a system a JTAG port for receiving parameters to be debugged. (See Figure 5, and Lines 64-67 of Column 4 and Lines 1-7 of Column 5).

Page 5

- g. Regarding the limitation of "receiving a set of bus inputs in the logic structure of the IC," Shinmori discloses a system a JTAG port for receiving data. (See Figure 5, and Lines 64-67 of Column 4 and Lines 1-7 of Column 5).
- h. Regarding the limitation of "applying logic to the selected bus inputs in the logic structure to generate an event," Shinmori discloses a system with a TAP (test access port) coupled to a bus, the TAP used for testing and debugging of data through the CPU. (See Figure 5, item 14 with input bus from the left of the box, also Lines 60-65 of Column 5).
- i. Regarding the limitation of "applying the events to a counter structure," Shinmori discloses a system with a security bit that can be used to manage the data in the flash ROM. (Lines 65-67 of Column 5 and Lines 1-12 of Column 6).
- 16. Regarding claim 19, Shinmori discloses a system with a JTAG port for communicating a TDO (test output data) to the external device for testing. (Lines 65-67 of Column 4 and Lines 1-2 of Column 5).
- 17. Regarding claim 20, Shinmori discloses a system with a security bit that can be used to manage the data in the flash ROM for what data is received and selected for comparing. (Lines 65-67 of Column 5 and Lines 1-12 of Column 6).
- 18. Regarding claim 21, Shinmori discloses a system with a security bit that can be used to manage the data in the flash ROM. (Lines 65-67 of Column 5 and Lines 1-12 of Column 6).

Art Unit: 2114

19. Regarding claim 22, Shinmori discloses a system with a cmp register for comparing (Figure 5, item 27 and 24, Lines 38-46 of Column 5).

Page 6

20. Regarding claim 23, Shinmori discloses a system with a sel logic to select data from the TAP or the CPU. (Figure 5, item 22, Lines 17-23 of Column 6).

21. Regarding claim 24:

- j. Regarding the limitation of "receiving settable of parameters in a logic structure of an integrated circuit (IC)," Shinmori discloses a system a JTAG port for receiving parameters to be debugged. (See Figure 5, and Lines 64-67 of Column 4 and Lines 1-7 of Column 5).
- k. Regarding the limitation of "receiving a set of bus inputs in the logic structure of the IC," Shinmori discloses a system a JTAG port for receiving data. (See Figure 5, and Lines 64-67 of Column 4 and Lines 1-7 of Column 5).
- Regarding the limitation of "applying logic to the selected bus inputs in the logic structure to generate an event," Shinmori discloses a system with a TAP (test access port) coupled to a bus, the TAP used for testing and debugging of data through the CPU. (See Figure 5, item 14 with input bus from the left of the box, also Lines 60-65 of Column 5).
- m. Regarding the limitation of "generating a system management interrupt based on the event," Shinmori discloses a system with a security bit that can be used to manage the data in the flash ROM. (Lines 65-67 of Column 5 and Lines 1-12 of Column 6).
- 22. Regarding claim 25, Shinmori discloses a system with a JTAG port for communicating a TDO (test output data) to the external device for testing. (Lines 65-67 of Column 4 and Lines 1-2 of Column 5).

Art Unit: 2114

Page 7

- 23. Regarding claim 26, Shinmori discloses a system with a security bit that can be used to manage the data in the flash ROM for what data is received and selected for comparing. (Lines 65-67 of Column 5 and Lines 1-12 of Column 6).
- 24. Regarding claim 27, Shinmori discloses a system with a cmp register for comparing (Figure 5, item 27 and 24, Lines 38-46 of Column 5).
- 25. Regarding claim 28, Shinmori discloses a system with a sel logic to select data from the TAP or the CPU. (Figure 5, item 22, Lines 17-23 of Column 6).
- 26. Regarding claim 29:
 - n. Regarding the limitation of "receiving a set of bus inputs in a logic structure of an integrated circuit (IC)," Shinmori discloses a system a JTAG port for receiving parameters to be debugged. (See Figure 5, and Lines 64-67 of Column 4 and Lines 1-7 of Column 5).
 - o. Regarding the limitation of "applying a mask in the logic structure to select inputs from among the bus inputs," Shinmori discloses a system a JTAG port for receiving data. (See Figure 5, and Lines 64-67 of Column 4 and Lines 1-7 of Column 5). Shinmori discloses a system with a sel logic to select data from the TAP or the CPU. (Figure 5, item 22, Lines 17-23 of Column 6).
 - p. Regarding the limitation of "applying logic to the selected bus inputs in the logic structure to generate an event," Shinmori discloses a system with a TAP (test access port) coupled to a bus, the TAP used for testing and debugging of data through the CPU. (See Figure 5, item 14 with input bus from the left of the box, also Lines 60-65 of Column 5).

Art Unit: 2114

q. Regarding the limitation of "generating a system management interrupt based on the event," Shinmori discloses a system with a security bit that can be used to manage the data in the flash ROM. (Lines 65-67 of Column 5 and Lines 1-12 of Column 6).

- r. Regarding the limitation of "applying the events to a counter structure," Shinmori discloses a system with a security bit that can be used to manage the data in the flash ROM. (Lines 65-67 of Column 5 and Lines 1-12 of Column 6).
- s. Regarding the limitation of "providing the events over a bus to an external agent,"
 Shinmori discloses a system with a JTAG port for communicating a TDO (test output data) to the external device for testing. (Lines 65-67 of Column 4 and Lines 1-2 of Column 5).
- 27. Regarding claim 30, Shinmori discloses a system with a JTAG port for receive test data and a control circuit for controlling the received data. (Lines 50-65 of Column 5, see Figure 5, items 23, 12, and 11).
- 28. Regarding claim 31, Shinmori discloses a system with a security bit that can be used to manage the data in the flash ROM for what data is received and selected for comparing. (Lines 65-67 of Column 5 and Lines 1-12 of Column 6).
- 29. Regarding claim 32, Shinmori discloses a system with a cmp register for comparing (Figure 5, item 27 and 24, Lines 38-46 of Column 5).

Claim Objections

30. The numbering of claims is not in accordance with 37 CFR 1.126 which requires the original numbering of the claims to be preserved throughout the prosecution. When claims are canceled, the remaining claims must not be renumbered. When new claims are presented, they must be numbered consecutively beginning with the number next following the highest

Art Unit: 2114

numbered claims previously presented (whether entered or not). Claims 11, 12, and 14 do not follow proper claim numbering. Please correct the numbering issues.

Allowable Subject Matter

31. Claims 6, 11-14 objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

- 32. Applicant's arguments filed 12/20/2006 have been fully considered but they are not persuasive.
- 33. The examiner notes the argument concerning the claim objections of claims 11, 12, and 14. However, the applicant seems to not understand the point of the objections (see below for MPEP reference). The claim dependence of claims 11 and 12 is to claim 18. Claim 14 depends off of claim 11. Thereby, claims 11 and 12 depend from a claim that follows numerically the claims held in objection. Claim dependency can only come from preceding claims. (see MPEP 37 CFR 1.75 (page R-64 of MPEP) and MPEP 608.1(n) section II, last paragraph "Claims which are in improper dependent form for failing to further limit the subject matter of a previous claim should be objected to under 37 CFR 1.75(c)" emphasis add by examiner). If the applicant's representatives have any further questions regarding the claim objections, they are invited to call the examiner at the contact information listed below.
- 34. Regarding the arguments over claims 1-5, 7-10, 13, and 15-32, the examiner has fully considered the arguments but they are not persuasive.
- 35. Regarding claim 1:

Art Unit: 2114

t. The applicant argues that the rejections of the claims were not mapped to the out to the claim limitation. The examiner contends the prior art of record covers all the limitations in question. However, for clarity sake, the claims are mapped out as follows. (Please refer to Figure 5 for all references to the drawings). "A logic structure integrated into an IC" (all of Figure 5, Lines 39-40 of Column 1); "set of bus inputs to generate events" (items 11 and bus lines between 11 and 24, Lines 65-67 of Column 4 and Lines 1-8 of Column 5); "a mask register to select inputs" (Lines 57-59 of Column 5, the control signal which is not shown in figure 5, along with the SEL register item 22); "logic register to apply selected input" (Item 12 and 13, Column 5 Lines 55-56 the TAP and JTAG); "event output" (Lines 63-67 of Column 5 and Lines 1-5 of column 6, the output of the flash ROM).

- u. The applicant further argues that the prior art does not teach the limitation of "a bus interface integrated in the IC and coupled to the logic structure to transmit settable parameters to the mask register and the logic register of the logic structure from an external agent." The examiner contends that the prior art does teach the limitation (see above rejection and response to argue (sub-paragraph "t"). The examiner contends the prior art does disclose a mask register and logic register that can send transmittable settings, applies the settings and outputs the results of the settings. (See rejection above).
- 36. Regarding claims 2-5, 7-10, 13 and 15-32, no other arguments are presented beyond the already discussed arguments concerning claim 1. Therefore, these claims rejections are maintained.

Art Unit: 2114

Conclusion

37. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

- 38. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.
- 39. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Tim Bonura**.
 - The examiner can normally be reached on Mon-Fri: 8:30-5:00.
 - o The examiner can be reached at: 571-272-3654.
- 40. If attempts to reach the examiner by telephone are unsuccessful, please contact the examiner's supervisor, **Scott Baderman**.
 - o The supervisor can be reached on 571-272-3644.
- 41. The fax phone numbers for the organization where this application or proceeding is assigned are:
 - o 703-872-9306 for all patent related correspondence by FAX.
- 42. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

Art Unit: 2114

applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov/. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

- 43. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the **receptionist** whose telephone number is: **571-272-2100**.
- **44.** Responses should be mailed to:
 - o Commissioner of Patents and Trademarks

P.O. Box 1450

Alexandria, VA 22313-1450

tmb March 4, 2007

SCOTT BADERMAN
SUPERVISORY PATENT EXAMINER